

REMARKS

Claims 1, 4-13, 29, 31-38, 48, 50-54, 60, and 62-66 are pending in the application.

Claims 14-17, 19, 21-25, 27-28, 39, 40, 42, 44-47, 55-56, 67-68, and 70 have been canceled.

Claims 1, 4-13, 29, 31-38, 48, 50-54, 60, and 62-66 have been rejected.

Restriction Requirement

The Examiner has required restriction to one of the following inventions under 35 U.S.C. § 121:

Group I. Claims 1, 4-13, 29, 31-38, 48, 50-54, 60, and 62-66, drawn to flow control of data transmission through a network, classified in class 370, subclass 235.

Group II. Claims 14-17, 39, 40, 42-47, 67-68, and 70 drawn to sequencing or resequencing of packets to insure proper output sequence order, classified in class 370, subclass 394.

Group III. Claims 22-25 and 27-28, drawn to control of data admission to a network, classified in class 370, subclass 230.

In response to the Examiner's restriction requirement, the Applicants hereby affirm the election, without traverse, to prosecute claims 1, 4-13, 29, 31-38, 48, 50-54, 60, and 62-66.

Please cancel claims 14-17, 19, 21-25, 27-28, 39, 40, 42, 44-47, 55-56, 67-68, and 70 without prejudice to the subject matter disclosed therein.

Rejection of Claims under 35 U.S.C. §103(a)

Claims 1, 4-5, 8-10, 13, 29, 32-33, 36-38, 48, 51-52, 60 and 64 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Liu et al. (USPPN 2002/0146016) ("Liu") in view of Chuah et al. (USPN 6,519,254) ("Chuah"). The Applicants respectfully traverse this rejection.

Claim 1 recites:

A network device comprising:

an output port;

a control unit coupled to the output port;
 a queue configured to store a copy of a packet forwarded to the output port; and
 a memory coupled to the output port,
 wherein the output port is configured to output packets for transmission
 via a network tunnel,
 wherein the network tunnel aggregates a plurality of flows,
 wherein the memory is configured to store information,
 wherein the information identifies packets which have been forwarded via
 the network tunnel, and
 wherein the queue indicates how many packets in each of the flows are
 outstanding within the network tunnel.

The rejection notes that Liu fails to teach a queue that indicates how many packets in each of the flows are outstanding within the network tunnel. Office Action, p. 7.

Accordingly, the rejection relies solely on Chuah to teach this feature.

Chuah describes a system in which a tunnel destination point (TDP) maps RSVP sessions to tunnels in a manner that provides the appropriate delay requirement for the RSVP sessions. Chuah, Abstract and col. 6, lines 1-25. The cited portions of Chuah state:

Although the above-mentioned modified form of RSVP, which aggregates RSVP-based QoS requests, is a solution to the problem, such a modified form of RSVP is no longer purely receiver-oriented. Chuah, col. 1, lines 66-67.

The delay guarantee provided by a tunnel is a function of the burst size $b_{sup.T}$ and bandwidth $R_{sup.T}$ as shown in the above-mentioned article "Aggregating RSVP-based QoS Requests," by Guerin et al. Note that if a session needs a delay guarantee d , only when all the tunnels with delay guarantee less than d have been filled is it necessary to use a tunnel j with $d_{sub.j.sup.T} > d$. In other words, $d_{sub.j.sup.T}$ should be adjusted so that $d_{sub.j,new.sup.T} < d_{sub.j,old.sup.T}$. This implies that one either has to increase the bandwidth for an existing tunnel, or decrease the burst size permitted at a tunnel, with $d_{sup.T} > d$. In either case, a TUNNEL_FLOWSPEC is sent from the TDP to the TSP to announce the tunnel parameter change. Chuah, col. 10, lines 48-59.

1. A method for use in packet communication systems utilizing a Resource ReSerVation Protocol (RSVP), the method comprising the steps of: creating an RSVP PATH message at a packet sender, said RSVP PATH message containing information on routing reservation-request messages from a packet receiver to the packet sender; sending said RSVP PATH message from the packet sender through a Tunnel Source Point (TSP) to

the packet receiver through a Tunnel Destination Point (TDP), wherein a plurality of RSVP tunnels that can each transport one or more packet flows exist between the TSP and the TDP; creating an RSVP RESV message at the packet receiver, said RSVP RESV message containing parameters for a proposed RSVP tunnel that would allow a set of aggregated individual packet flows to travel within a given Quality of Service (QoS) through said proposed RSVP tunnel; sending said RSVP RESV message from the packet receiver to the TDP; determining at the TDP an actual RSVP tunnel from the existing set of RSVP tunnels that is sufficient to satisfy the parameters contained within the RVSP RESV message; assigning said set of aggregated individual packet flows to said determined RSVP tunnel; creating a TUNNEL_BINDING object, said TUNNEL-BINDING object containing information on the assigned RSVP tunnel; sending the RVSP RESV message and the TUNNEL_BINDING object from the TDP to the TSP; sending the RVSP RESV message from the TSP to the packet sender; and using the assigned RSVP tunnel for said set of aggregated individual packet flows sent through the TSP. Chuah, claim 1.

None of the above cited portions of Chuah provide any teaching with respect to indicating or otherwise tracking how many packets in each flow are outstanding within the network tunnel. Instead, the cited sections talk about how RSVP sessions are mapped to tunnels that satisfy the delay requirements of the sessions, and how if no suitable tunnels are available, the parameters (e.g., bandwidth or burst size) of a tunnel can be modified to make it a suitable tunnel. Furthermore, Chuah's claim 1 indicates that it is an aggregated set of packet flows, not individual packet flows, that is assigned to the RSVP tunnel.

Nothing in the cited portions of Chuah teaches or suggests the act of indicating or a need to indicate the number of packets within each of the individual flows that are currently outstanding within the tunnel. Instead, the cited portions of Chuah merely disclose how an RSVP session, which appears to facilitate transmission of an aggregated set of individual packet flows, is mapped to a tunnel based upon the RSVP session's delay requirements and the tunnel's delay characteristics.

Additionally, in Chuah's system, it is the tunnel destination point, not the tunnel source point, that performs the mapping functions. Chuah, col. 4, lines 56-59. Thus, Chuah's mapping is not performed by a device that contains an output port for transmission via a network tunnel; instead, Chuah's mapping is performed by the device that receives packets from the network tunnel. As noted throughout Chuah, one of

Chuah's goals was to support a receiver-oriented RSVP type signaling. See e.g., Chuah, Abstract. Thus, Chuah's teachings do not appear to be applicable to a device such as that described in the cited portions of Liu and claim 1, which is coupled to output packets for transmission via a tunnel. Accordingly, it is not clear how Chuah's teachings could be combined with those of Liu.

The rejection states that "tunnel bandwidth requirement per flow implicitly provides for the number of packets within each flow." Office Action, p. 7. However, this does not appear to be the case. Chuah's mappings and actions appear to be completely independent of how many packets within a given flow are currently outstanding in the tunnel (the RSVP session appears to be assigned to a tunnel before any packets are transmitted via that session, and thus no packets in that session could be outstanding within the tunnel), and there does not appear to be any reason to track such information. Chuah's determinations appear to be based on delay characteristics of a tunnel, not on the number of outstanding packets within the tunnel. Quite simply, nothing in the cited portions of Chuah teaches or suggests that the number of outstanding packets within a given flow is relevant to the operation of Chuah's system. Similarly, nothing in the cited portions of Chuah teach or suggest that any of the components within Chuah's system should or even could indicate the number of outstanding packets within a given flow.

For at least the foregoing reasons, claim 1 is patentable over the cited art, as are its dependent claims 4-5, 8-10, and 13. Claims 29, 32-33, 36-38, 48, 51-52, 60 and 64 are patentable over the cited art for similar reasons.

Claims 6-7 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Liu in view of Chuah as applied to Claim 1, and further in view of Le Gouriellec et al. (USPPN 2003/0112756) ("Le Gouriellec"). The Applicants respectfully traverse this rejection for at least the reasons set forth above with respect to claim 1.

Claims 11 and 12 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Liu in view of Chuah as applied to Claim 1, and further in view of Bishard (USPPN 2003/0165148) ("Bishard"). The Applicants respectfully traverse this rejection for at least the reasons set forth above with respect to claim 1.

Claims 34, 35, 53, 54, 65, and 66 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Liu in view of Brewer et al. (USPPN 2006/0062233) ("Brewer"). The

Applicants respectfully traverse this rejection for reasons similar to at least the reasons set forth above with respect to claims 1, 29, 48, and 60.

Claims 31, 50, 62 and 63 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Liu in view of Bannister (USPN 6,145,032) (“Bannister”). The Applicants respectfully traverse this rejection for reasons similar to at least the reasons set forth above with respect to claims 1, 29, 48, and 60.

CONCLUSION

In view of the amendments and remarks set forth herein, the application and the claims therein are believed to be in condition for allowance without any further examination and a notice to that effect is solicited. Nonetheless, should any issues remain that might be subject to resolution through a telephone interview, the Examiner is invited to telephone the undersigned at 512-439-5087.

If any extensions of time under 37 C.F.R. § 1.136(a) are required in order for this submission to be considered timely, Applicants hereby petition for such extensions. Applicants also hereby authorize that any fees due for such extensions or any other fee associated with this submission, as specified in 37 C.F.R. § 1.16 or § 1.17, be charged to Deposit Account 502306.

Respectfully submitted,

/Brenna A. Brock/

Brenna A. Brock
Attorney for Applicants
Reg. No. 48,509
Telephone: (512) 439-5087
Facsimile: (512) 439-5099